

Assessing microbial contamination and particulate matter exposure in Portuguese poultry facilities

Bianca Gomes^{1,2,*}, Marta Dias^{2,3}, Renata Cervantes^{2,3}, Pedro Pena^{2,3}, Carla Viegas^{2,3}

E-mail address: bianca.gomes@estesl.ipl.pt

1. Center for Ecology, Evolution and Environmental Change, Faculdade de Ciências, Universidade de Lisboa, 1749-016 Lisbon, Portugal

2.H&TRC- Health & Technology Research Center, ESTeSL- Escola Superior de Tecnologia da Saúde, Instituto Politécnico de Lisboa.

3.NOVA National School of Public Health, Public Health Research Centre, Comprehensive Health Research Center, CHRC, NOVA University Lisbon, Lisbon, Portugal

Introduction

In poultry farms, the combination of feathers, feces, and bedding material appears to be critical to the development of pathogens, enhancing the risks associated with zoonosis and its dissemination throughout the food chain [1]

Currently, the prevalent airborne microorganisms in animal production facilities are poorly described in terms of quantity, composition, and risk category. Identification and quantification on the other hand, would be useful for determining the causative agents and performing risk assessments [2].



Objective: This study intends to characterize microbial contamination in poultry pavilions through a multi-approach protocol for sampling and analyses.

Methods

1. Sampling

Methods

Particulate matter

Active sampling



LIGHTHOUSE

Microbial Characterization

Active sampling







MAS-100


Passive sampling

EDC

BEDDING MATERIAL



Strategy



Poultry pavilions (n=14)

3 Visits:
1st week
2nd week
3rd week

2 Seasons:
Summer
Winter

2. Analysis

Particle assessment

Microbial characterization

Culture-based methods:

- Microbial quantification (Fungi and bacteria)
- Fungal identification
- Fungal resistant profile




Molecular tools qPCR (Toxigenic fungi)

Mycotoxins detection (n= 38)

Cytotoxicity assessment (lung cells, kidney cells)

Expected results



Conclusion

- The framework will contribute for the awareness and foster workplace solutions that will encourage safer working conditions and advance the health of animals, people, and the environment.
- SDGs will be supported.

Funding: This research was funded by Instituto Politécnico de Lisboa, Lisbon, Portugal for funding the Projects IPL/2023/FoodAIEU_ESTeSL; IPL/2023/SPRisk_ESTeSL; IPL/2023/ARAFSawmL_ESTeSL. Authors gratefully acknowledge the FCT/MCTES national support through the UIDB/05608/2020 and UIDP/05608/2020 and the PhD Grant UI/BD/151431/2021. This work was also supported by national funds through FCT/MCTES/FSE/UE, UI/BD/153746/2022, UI/BD/153746/2022 and CE3C unit UIDB/00329/2020 (<https://doi.org/10.54499/UIDB/00329/2020>) within the scope of a PhD Grant. **References:** [1] Gomes, B., Pena, P., Cervantes, R., Dias, M., Viegas, C. Microbial Contamination of Bedding Material: One Health in Poultry Production. *Int. J. Environ. Res. Public Health* 2022, 19, 16508. <https://doi.org/10.3390/ijerph192416508> [2] Martín, E., Dziurawitz, N., Bickel, U., & Schäfer, J. (2015). Detection of Airborne Bacteria in a Duck Production Facility with Two Different Personal Air Sampling Devices for an Exposure Assessment. *Journal of Occupational and Environmental Hygiene*, 12(2), 77-86. <https://doi.org/10.1080/15459624.2014.946514>

